8800013

TO ALL TO WHOM THESE PRESENTS SHALL COME;

Plant Genetics, Inc.

TCA hereus, there has been presented to the

Secretary of Agriculture

AN APPLICATION REQUESTING A CERTIFICATE OF PROTECTION FOR AN ALLEGED NOVEL VARIETY OF SEXUALLY REPRODUCED PLANT, THE NAME AND DESCRIPTION OF WHICH ARE CONTAINED IN THE APPLICATION AND EXHIBITS, A COPY OF WHICH IS HEREUNTO ANNEXED AND MADE A PART HEREOF, AND THE VARIOUS REQUIREMENTS OF LAW IN SUCH CASES MADE AND PROVIDED HAVE BEEN COMPLIED WITH, AND THE TITLE THERETO IS, FROM THE RECORDS OF THE PLANT VARIETY PROTECTION OFFICE; IN THE APPLICANT(S) INDICATED IN THE SAID COPY, AND WHEREAS, UPON DUE EXAMINATION MADE, THE SAID APPLICANT(S) IS (ARE) ADJUDGED TO BE ENTITLED TO A CERTIFICATE OF PLANT VARIETY PROTECTION UNDER THE LAW.

NOW, THEREFORE, THIS CERTIFICATE OF PLANT VARIETY PROTECTION IS TO GRANT UNTO THE SAID APPLICANT(S) AND THE SUCCESSORS, HEIRS OR ASSIGNS OF THE SAID APPLI-CANT(S) FOR THE TERM OF eighteen YEARS FROM THE DATE OF THIS GRANT, SUBJECT TO THE PAYMENT OF THE REQUIRED FEES AND PERIODIC REPLENISHMENT OF VIABLE BASIC SEED OF THE VARIETY IN A PUBLIC REPOSITORY AS PROVIDED BY LAW, THE RIGHT TO EX-CLUDE OTHERS FROM SELLING THE VARIETY, OR OFFERING IT FOR SALE, OR REPRODUCING IT, IMPORTING IT, OR EXPORTING IT, OR USING IT IN PRODUCING A HYBRID OR DIFFERENT ETY THEREFROM, TO THE EXTENT PROVIDED BY THE PLANT VARIETY PROTECTION ACT T. 1542, AS AMENDED, 7 U.S.C. 2321 ET SEQ.)

ALFALFA

'Sutter'

In Lestimonn Wathereot, I have hereunto set my hand and caused the seal of the Plant Variety Protection Office to be affixed at the City of Washington, D. C. 29th day of the year of our Lord one thousand nine hundred and eighty-eight.

U.S. DEPARTMEN AGRICULTURAL N APPLICATION FOR PLANT VAR (Instructio	FORM APPROVED: OMB NO. 0681-0066 Application is required in order to determine if a plant variety protection certificate is to be issued (7 U.S.C. 2421). Information is held confidential until certificate is issued (7 U.S.C. 2426).						
1. NAME OF APPLICANT(S)		2. TEMPO	HARY DESIGNATION	3. V	ARIETY NAM	Ė	
Plant Genetics, Inc.							
4. ADDRESS (Street and No. or R.F.D. No., City, St. 1930 5th St. Davis, CA 95616	tate, and Zip Code)		(Include area code) 753-1400	PVPC	NUMBER	0013	
6. GENUS AND SPECIES NAME	7. FAMILY NAI	ME (Botanio	al)	+	DATE	_	
Medicago sativa L.	Legumir	noseae	.o≠ ''3	FILING	TIME 11:00	UA.M. □P.M.	
8. KIND NAME			DETERMINATION		AMOUNT FO		
Alfalfa	•	Commer	ion, Fall '83 icial	ECEIVED	S L800°	 u30,1987	
10. IF THE APPLICANT NAMED IS NOT A "PERS partnership, association, etc.)	ON," GIVE FORM	OF ORGA	HIZATION (Corporation	FEES RE	\$ 20-0 00	OR CERTIFICATE	
Corporation					/NE	30,1988	
11. IF INCORPORATED, GIVE STATE OF INCORE	PORATION			12. 0	_	DRPORATION	
California 13. NAME AND ADDRESS OF APPLICANT REPRE	SCENTATIVE (OL)	F 441V TO	CEONE IN THE ABOU	CATIO	January		
Keith-Walker, Mary Johnsho Plant Genetics, Inc. 1930 5th St., Davis, CA 956	. LIMBA 516. 2001 San Fi	Fevry rancisco	C. Weseman MBACH & SUT Bldg. 94 CAPHONE (Include a)	TON ea code		3 , 7-27-88 433 4150 753-1400	
 14. CHECK APPROPRIATE BOX FOR EACH ATTA a.	of the Variety (See ety (Request form riety.	Section 52 from Plant			n Act.)		
e. LX Exhibit E, Statement of the Basis of App 15. DOES THE APPLICANT(S) SPECIFY THAT SEI			LD BY VARIETY NAM	E ONL	Y AS A CLASS	OF CERTIFIED	
SEED? (See Section 83(a) of the Plant Variety Plant	rotection Act.)		Yes (If "Yes," answer	items i	16 and 17 below	No X No	
16. DOES THE APPLICANT(S) SPECIFY THAT TH LIMITED AS TO NUMBER OF GENERATIONS	IS VARIETY BE .	17. I	"YES" TO ITEM 16, EYOND BREEDER SE	WHICH ED?	CLASSES OF	PRODUCTION	
Yes No			Foundation		egistered	Certified	
18. DID THE APPLICANT(S) PREVIOUSLY FILE	FOR PROTECT	ION OF TH	E VARIETY IN THE U	J.S.7.		es (If "Yes," give date)	
					<u> </u>	ło	
19. HAS THE VARIETY BEEN RELEASED, OFFE November 15, 1986 - Califo		OR MARK	ETED IN THE U.S. OF	OTH	[▽] \	ES ? 'es (If "Yes," give name: if countries and dates)	
10 vember 19, 1900 = Callie	ilita USA				. [] •	lo	
20. The applicant(s) declare(s) that a viable sam				d with	the applicati	on and will be re-	
plenished upon request in accordance with s The undersigned applicant(s) is (are) the ow distinct, uniform, and stable as required in S Variety Protection Act.	ner(s) of this sex	ually repr	oduced novel plant va	riety, ie prov	and believe(s risions of Sec) that the variety is tion 42 of the Plant	
Applicant(s) is (are) informed that false repr	resentation herei	n can jeop	ardize protection and	result	in penalties.		
SIGNATURE OF APPLICANT				C	10/15	<i>k</i>)	
SIGNATURE OF APPLICANT				C	DATE	1	

Exhibit 14A: Origin and Breeding History of Sutter

Sutter is an intermediate dormant alfalfa cultivar developed from mass selecting plants from 3-4 years-old fields of the Northern San Joaquin and Sacramento Valleys. The fields had been severely thinned and were reportedly planted with Amador, AS49R, DK167, P.581, and WL318 of which 12, 3, 2, 6, and 42 clones were utilized respectively. Reselection for good agronomic characteristics and lack of foliage diseases in greenhouses in Sacramento and Woodland, CA reduced the population from 151 to 65. Approximately three cuttings of each clone were planted in a screened isolation cage (83C63) and pollinated with leafcutter and honey bees to produce breeder (syn 1) seeds. The plants were dug and transplanted in 1984 to produce 84C69. The breeder seed produced in 1983 and 1984 was not bulked.

The dormancy characteristic is uniform and stable through the 2nd generation commensurate with other commercial alfalfa cultivars, based on observation of eight trials and 30 accumulated test years of yield data.

The pest resistance characteristics are uniform and stable through the 2nd generation commensurate with other commercial alfalfa cultivars, based on observation of 32 trials.

Syn 3 (3rd generation) has revealed no variants from the previous generation, based on field observations.

Exhibit 14 B: Novelty Statement
Sutter is most similar to WL318, but differs in dormancy as follows:

Test Location	Date Last Cut	Date Scored	Sutter	<u>WL318</u>	.05 LSD
84 Davis, CA	10/29/85	11/11/85	15.3	11.6	2.4
	11/11/86	1/5/87	4.1	2.2	0.9
84 Nampa, ID	9/4/84	9/19/84	8.3	5.3	0.8
	9/4/85	10/18/85	9.4	3.9	0.6
85 Woodland	10/28/85	12/12/85	7.5	3.9	0.8
	10/13/86	11/3/86	14.0	8.8	1.2

Sutter is most similar to Amador and WL318, but differs in the following pest resistances:

	· ·	·	
	Sutter	Amador (a) WL318 (a)
Bacterial Wilt	R	-	R
Anthracnose	S	<u> </u>	MR
Fusarium Wilt	HR	R	MR
Phytophthora Root Rot	HR	R	MR
Stem Nematode	R	MR	LR
Pea Aphid	, R	S	HR
Spotted Alfalfa Aphid	R	MR	R
Blue Alfalfa Aphid	MR	S	LR
Southern Root Knot Nematode	HR		-

⁽a) From Proceedings of the Sixtenth California Alfalfa Symposium. December 1986.

U.S. DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE LIVESTOCK AND SEED DIVISION PLANT VARIETY PROTECTION OFFICE BELTSVILLE MARYLAND 20708

OBJECTIVE DESCRIPTION OF VARIETY

•			ALFALFA	(Medicago sativa ser	isu Gunn et al./			
NAME OF APPLI	ICANT(S)			TEMPORARY E	DESIGNATION	VARIETY NAME		
Plant G	enetics, Ind	· .		83C63/8	34C69	Sutter		
	t and No., or R.F.D. No	·	Codel	1 00000, 0		 	OFFICIAL USE ONLY	
1930 Fif	th St.		•			PVPO NUMBER		
	CA 95616			•		88	00013	
application vari titative data. Co e.g., The Munse	ety. Data for quantit omparative data shou Il Plant Tissue Color (tative plant charact ld be determined f	ers should be based	on a minimum of 10	00 plants. Include lea	ding zeros when nece	f the commerical gene ssary (e.g., 0 8 9 using any recognized	🚺) for qua
1. WINTERHAR	DINESS:						•	
3 CLA	3 = 1 5 = 1 7 = 1	Very Non-Winterhard Intermediately Non-V (Du Puits) (Ranger)	Vinterhardy (Mesilla)	4 = Semi-Winterl	ardy (Moapa 69) hardy (Lahontan) Ninterhardy (Saranac) (Vernal)			
		Extremely Winterhan	Woodland,	СА		÷		
	TES	T LOCATION:	woodland,			- '		
L FALL DORMA	INCY:	FA	LL DORMANCY (D	ETERMINED FRO	M SPACED PLANTI	NGS)		
			T		REGROWTH SCORE O	OR AVERAGE HEIGHT		
	TESTING INSTITUTION DATE OF LAST CUT		DATE REGROWTH	APPLICATION		CHECK VARIETIES	LSD .05	
		2401 001	VARIETY Lahontan Moapa 69 Sara	Saranac AR				
I 1984,	Woodland,CA	11/11/86	1/5/87	4.1	1.7	_	_	0.9
I 1984, 1	Nampa, ID	9/4/84	9/19/84	8.3	6.8	_	4.3	0.8
1986.	Woodland,CA	11/21/86	1/20/87	2.7	_	5.8	_	0.7
		rect (CUF 101) emidecumbent (Vern CUT (In Southwest, f CUF 101) (Norseman)	3 = Sen 9 = Dec irst out after March 21	t (Saranac)	5 = Intermediate 5 = Intermediate		7 = Slow (Vernal)	-
 3	APTATION IN U.S. IWI	here tested and prove	n adapted):				-	
	ry Area of Adaptation				Oth	er Areas of Adaptation	1	
	1 = North Centr 5 = Moderately t 8 = Other (Specr	Winterhardy Intermo	2 - East Central untein	3 = Soc 6 = Winterhardy Inte		4 = Southwest 5 7 = Great Plains		,
FLOWERING DA	ATE (When 10% of plan artier Than	rts possess open flow	ors at time of first spen	g cut				
Same A	eter Then	TEST LOCATION:	No Data		2 - Mes illa	3 = Saranac 4 =	Vernal 5 - No	rseman

6. PLANT COLOR (Deter	mined from healthy regrowth	3 weeks after	first spring out, contr	olling leafhoppers if nece	NO.	Comparis	8800013 on possible with abov
	and the second of the second o	- 5	Cirecu (Vernal)	3 - Light Gree	n (Ranger)	Vá	rieties
	RT VALUE (Specify chart us	sed		<u> </u>			
VERNAL	ON VARIETY						/
TEST LOCAT	TION			· · · · · · · · · · · · · · · · · · ·	 		
7. CROWN TYPE (Deter	mined from spaced plantings):	No C	ritical Da	fa			
Noncreep	_	f (Vernal)					
Creeting T		ung Rooted (R	2 Intermedia			(CUF 101)	
8. FLOWER COLOR (Det				5 - Rhizomato	us (Rhizoma)		
95 % Purple at	nd Violet (Subctasses 1.1 to 1.	er wach color cl	ess as defined by USC	A Agricultural Handboo	ok No. 424 (8	arnes 1972), allowing	all plants in plot to flower):
	- 10017.113963 1 1 10 1	.41	Ĺ		oclasses 2.3 an		
% Cream (C	ed Other Than Blue (Subclasse	s 2.1, 2.2, 2,5	to 2 9)	% Yellow (S	Subclasses 4.1	to 4.41	
TEST LOCA		Ounts:	- Califor	% White (Cla	988 S)		
					·		•
100	frequency of plants with the	following pod	shapes produced on s	well cross-pollinated race	mes)	· · · · · · · · · · · · · · · · · · ·	
a rightly Co	oiled (One or more coils, cente	er more or less	closed)	% Loosely Co	oded (One or	more coils, center coi	aspicuously opent
	ss than I coil]			TECT	G	lenn Cour	
ind	ovide in the appropriate colun lex scores (ASI), least significa	nn, triel data fo	or application variety	and resistant (R) and su	rsceptible (S)	check varieties, synth	etic generation tested, average severity
loc	ations should be presented and	tranç and any to	est procedure which o	differs from standard me	thods proposi	ki by Floin (1982)	Fried date date a reid or laboratory
A. DISEASE RESISTANCE:	sented.	THE CHACK VALIS	ities fisted below are	preferred, comparisons v	vith any appro	priate check variety	II, Rm. 335, BARC-West, Beltsville, MD recommended by Elgin (1982) may be
DISEASE	VARIETY	SYN. GEN	PERCENT		1	% Resista	псе
A		TESTEO	RESISTANT PLANTS	PLANTS TESTED	ASI	- ASI - LSD .05	INSTITUTION, YEAR, LOCATION, FIELD OR LABORATORY
Anthracnose, Race 1 (Colletotrichum trifolii)	Application	1	3.8	120) AT 4		
		1	1	130	NA NA	5.8	Plant Genetics, Inc
	Saranac A	R	69.2	1095	NA		1984
	Saranac (S)			1 = 0,5	IVA	1	Woodland, CA
	SCORING SYSTEM		1.7	1236	NA		Greenhouse
	% Survival						
Anthracnose, Race 2 (Collectotrichum trifolii)	Application		T			T	
						,	
·	Saranac AR (R)					1	
No Data	4 - (0)				 		-
	Arc (S)						
	SCORING SYSTEM					L	
Bacterial Wilt	1			Account			
(Corynebacterium insidiosum)	Application	1 .	37.1	Assumed 150-225	2.26	0.41	***
	Vernal (R)			Assumed	2.20	0.41	Univesity of Minn.
			42.0	150-225	1.99		Rosemount, Minn.
	Narragansett (\$)	j	3.5	Assumed 150-225	2.00		
	SCORING SYSTEM			1-30-225	3.28		Field
Common Leafspor	0-5 0's + 1'	s = Re	sistance				
Pseudopeziza medicaginis)	Application						
	MSA-CW3AN3 (R)						
No Data							
2010	Ranger (S)						
\$	CORING SYSTEM						

-					
88	~	\sim	-		
U . (.)	, ı	11	71	4	_
\sim	1 . 1.		,,		~
C) ()	1 /	1 1	1 1	•	٦.

DISEASE	VARIETY	SYN. GEI TESTED			ASI	ASI LSD .05	INSTITUTION, YEAR, LOCATION, FIELD OR LABORATORY
Downy Mildew (Peronospora trifoliorum)	Application						
Isolate, if known:	Serenac (R)					1	
No Data	- Kanza (S)				+		
	SCORING SYSTEM	<u> </u>					<u> </u>
Fusarium Wilt	Appliance	T		Assumed		T	
f medicaginis)	Application	2	66.9	120-180	1.82	0.57	University of Min
	Moana 69 (R)		83.8	Assumed 120-180	1.42		1986 Rosemount, MN
•	MnGN-1 (S)		5.6	Assumed 120-180	4.72	-	
	SCORING SYSTEM:				,	<u> </u>	Field
Phytophthora Root Rot	0-5 with %	0's +	<u>l's = Res</u>	istance (Da Assumed	ata adj	usted by	U of M)
(Phytophthora megasperma (, medicaginis)	Application	1	68.9	300-450	3.76	0.61	University of Min
	Agate (R)	·	43.0	Assumed 300-450	4.28		1984 St. Paul, MN
•	Saranac (S)		1.4	Assumed 300-450	5.72		Field
:	SCORING SYSTEM	110 .	21 m D				
Verticillium Witi	1-6 Percent	15+	2 S = Kesi	stance (Da	ata adju	isted by	U of M)
Verticillium alboatrum)	- Application	1	11.3	222	3.94	0.24	Plant Genetics, In
	Vertus (R)		34.1	58	2.82		1984 Nampa, ID
	Saranac (S)	·	0.0	66	4.27		Greenhouse
	scoring system 1-5 Percent	1's +	2's = % F	esistanco			
ther (Specify)	Application			COTOTATICE	-		
	(R)						
	(5)		<u></u>				
	CORING SYSTEM:			<u> </u>			
her (Specify)		· · · · · · · · · · · · · · · · · · ·		·			
	Application					1 1	
	(R)						
,	si					ļ	
	CORING SYSTEM:						
Sc					<u> </u>		
						т.	
	VARIETY	SYN. GEN TESTED	DEFOLIATION	DEFOLIATION IN PERCENT OF ESISTANT CHECK	ASI	ASI LSD .05	INSTITUTION, YEAR, LOCATION, FIELD OR LABORATORY
ECT RESISTANCE: INSECT	VARIETY		DEFOLIATION		ASI		
INSECT III a Weevil pera postica/	VARIETY		DEFOLIATION	PERCENT OF ESISTANT CHECK	ASI		
ECT RESISTANCE: INSECT IIa Wezvil Dera postical Ai	polication		DEFOLIATION	PERCENT OF	ASI		

10. B. INSECT RESISTANCE	(Continued):						8800013
INSECT	VARIETY	SYN GEN TESTED	PERCENT SEEDLING SURVIVAL	NUMBER OF SEEDLINGS TESTED	ASI	% ASI LSD .05	INSTITUTION, YEAR, LOCATION, FIELD OR LABORATORY
Blue Alfalfa Aphid (Acyrthosiphon kondoi)	Application	1	29.0	167	NA	Resistanc 5.4	Plant Genetics,
	CUF 101 (R)	· · · · · · · · · · · · · · · · · · ·	70.4	168	NA		1985 Woodland,CA
	Calivero		2.5	144	NA		Greenhouse
	% Seed	ling Sur	vival (Dat	a adjusted	by ar	oplicant)	
Pea Aphid (Acyrthosiphon pisum)	Application	1	49.5	134	NA	10.8	Plant Genetics,
	Kanza (R)		48.6	126	NA		1984 Woodland, CA
·	Moapa 6	9 (S)	0.7	131	NA		Greenhouse
		ng Surv	ival				
Spotted Alfalfa Aphid (Therioaphis maculata)	Application	1	51.4	154	NA	11.7	Plant Genetics,
Biotype, if known:	Baker (1	R)	72.9	159	NA		1983 Woodland,CA
· · · · · · · · · · · · · · · · · · ·	Calivero	le (S)	0.2	529	NA		Greenhouse
		ng Survi	val				
INSECT	VARIETY	SYN. GEN. TESTED	PERCENT RESISTANT PLANTS	NUMBER OF PLANTS TESTED	ASI	ASI LSD .05	INSTITUTION, YEAR, LOCATION FIELD OR LABORATORY
Potato Leafhopper Yelfowing (Empoasca fabae)	Application						
Mar Day	MSA-CW3An3 (R)	<u> </u>	'				
No Data	Ranger (S)						
	-SCORING-SYSTEM:			<u></u>	· · · · · · · · · · · · · · · · · · ·		
Other (Specify)	Application				•	·	
	(R)						
	(S)						
:	SCORING SYSTEM:						
NEMATODE RESISTANCE:	VARIETY	SYN. GEN. TESTED	PERCENT RESISTANT	NUMBER OF PLANTS TESTED	ASI	ASI LSD .05	INSTITUTION, YEAR, LOCATION
Northern Root Knot (Melaidogyne hapla)	Application		PLANTS				
	Nev. Syn. XX (R)						
No Data	Lahontan (S)						
	SCORING SYSTEM						

NEMATODE	VARIETY'	SYN GEN TESTEO	PERCENT RESISTANT PLANTS	NUMBER OF PLANTS TESTED	ASI	ASI LSD .05	INSTITUTION, YEAR, LOCATION, FEELD OR LABORATORY
Southern Root Knot (Meloidogyne incognita)	Application	1	75.0	80	1.39	0.19	Plant Genetics, Inc 1987
	Moapa 69 (R)	of some of the sound of the so	77.5	80	1.44		Davis
	Lahontan (S)		7.8	80	3.09		Laboratory
	SCORING SYSTEM	6 = % re	sistance				
Stem Nematode (Ditylenchus dipsaci)	Application	1	37.1	134	3.91	0.28	Plant Genetics, Inc
	Lahontan (R)		55.0	122	3.85		1985
	Ranger (S)		6.1	394	4.31		Woodland, CA Greenhouse
	% 1's + 2'	s = Res	istance (I	Data adjus	ted by	applican	t).
Other (Specify)	Application						
	(A)					!	
	(S)	·					

CHARACTER	VARIETY	CHARACTER	VARIETY	
Nimerhardmess	Mesilla	Plant Color	No Critical Data	
Recovery After 1st Cut	Mesilla	Crown Type	No Critical Data	
Area of Adaptation	Lahonton	Combined Disease Resistance	WL318	
Flowering Date	No Critical Data	Combined Insect Resistance	WL318	

REFERENCES

Barnes, D.K. 1972. A System for Visually Classifying Alfalfa Flower Color. U.S. Dep. Agric. Handb. 424. 18 pp. (Note: Greenish cast of plate 6, A and B is an artifact of printing, actual colors a blend of yellow and white.)

Elgin, J.H., Jr., (ed.) 1982. Standard Tests to Characterize Pest Resistance in Alfalfa Cultivars. U.S. Dep. Agric. Tech. Bull. (In Press).

Gunn, C.R., W.H. Skrdla, and H.C. Spencer. 1978. Classification of Medicago sativa L. using legume characters and flower colors. U.S. Dep. Agric. Tech. Bull. 1574. 84 pp.

Munsell Color Co., 1977. Munsell Plant Tissue Color Charts. Munsell Color Co., Inc. Baltimore.

NOTE: Any additional descriptive information and supporting documentation may be provided as Exhibit D.

Exhibit 14E: Basis of Applicant's Ownership

Plant Genetics, Inc. is the assignee of the entire right, title and interest in the alfalfa variety Sutter. The principle breeder, Ike Kawaguchi, was employed by Plant Genetics, Inc. and under an obligation to assign all rights to alfalfa varieties developed during the term of his employment.

Substituted Date: 5/26/88, 46